


AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A ~~pressure sensitive adhesive composition capable of being crosslinked to form a pressure sensitive adhesive~~, said composition comprising (A) a polyoxyalkylene polymer having at least one alkenyl group in one molecule, (B) a compound having 1 to 3 hydrosilyl groups on average in one molecule and (C) a hydrosilylation catalyst as essential components.

2. (Currently Amended) The ~~pressure sensitive adhesive composition~~ of claim 1, wherein said compound (B) ~~generally~~ has a structural formula represented by the following formula (I):



($1 \leq m \leq 3$, $1 \leq n \leq 8$).

3. (Currently Amended) The ~~pressure sensitive adhesive composition~~ of claim 1, wherein said compound (B) has 1.8 - 2.8 hydrosilyl groups on average in one molecule and a number average molecular weight of 400 - 3000.

4. (Currently Amended) The ~~pressure sensitive adhesive composition~~ of claim 1, wherein [amount of hydrosilyl group in said compound (B)]/[total amount of alkenyl group in component (A)] is 0.4 - 0.8.

5. (Currently Amended) The ~~pressure-sensitive adhesive composition~~ of claim 1, wherein the polyoxyalkylene polymer having an alkenyl group for said (A) has a number average molecular weight of 6,000 - 50,000.

6. (Currently Amended) The ~~pressure-sensitive adhesive composition~~ of claim 1, wherein the polyoxyalkylene polymer for said (A) has 1 – 2 alkenyl groups on average in one molecule.